

Work Order ID 155345

Thursday, January 12, 2017 3:40:39 PM

155345

Page 1

Item ID: D2933-2

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle RH In, 206

Start Date: 1/23/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 1/27/2017 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan:

DAS
21
9-89

Date: JAN 13 2017

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2933	Rev C

100

0.03

100

HAAS 1

HAAS CNC vertical machine #1

HAAS CNC VERTICAL MACHINING #1

Memo

0.76

Program part number and batch number.1-Inspect part number and batch number are programmed correctly.2-Machine Step No 1 of Folio and visually inspect as per dwg D2933 & attached Dimension Sheet 3-Machine Step No 2 of Folio and visually inspect as per

8 14 9-89 17/02/05

110

0.00

110

Mill Conv

Conventional Milling Machine

CONVENTIONAL MILLING MACHINE

Memo

0.01

Machine Keyway and inspect per attached dimension sheet

8 14 9-89 17/02/05

120

0.00

120

QC

Quality Control

QC1- Inspection performed by CMM

Memo

0.01

Inspect on CMM as per folio CMMA011.
DWG REV: _____
CMM PROG. REV: _____

8 14 9-89 17/02/05

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
3AC AT QC				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 155345

Thursday, January 12, 2017 3:40:39 PM

155345

Page 2

Item ID: D2933-2

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle RH In, 206

Start Date: 1/23/2017 Start Qty: 4.00

4

Cust Item ID:

Required Date: 1/27/2017 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC8- Inspect parts - second check

0.00

130

QC

Memo

0.01

Quality Control

8 0 45 17-2-6
9-89

140

Chemical Conversion Coat per QSI005 4.1

0.00

140

HandFinish

Memo

0.07

Hand Finishing

(x8) 2017/02/09
BEB.

150

White Gloss(Ref 4.3.5.1) per QSI005 4.3-Alum

0.00

150

Powdercoat

Memo

0.02

Powder Coating

START TIME: 140 OVEN TEMPERATURE:
220 FINISH TIME: 210

8 0 1702-15 2348

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

155345

Thursday, January 12, 2017 3:40:39 PM

N900040100

Setup Start *NS1*

Stop ***NS2***

4

Cust Item ID:

Start Date: 1/23/2017 **Start Qty:** 4.00

Required Date: 1/27/2017 **Req'd Qty:** 4.00

4

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

QC3- Inspect Part Finish

0.00

160

QC

Memo

0.01

Quality Control

DAS
38
~~3-38~~
FEB 16 2017

Identify as per dwg & Stock Location: SPB/4 0.00

0.00

170

Packaging

Memo

0.01

Packaging

8 DAS 6 9-89 FEB 24 2017

QC21- Final Inspection - Work Order Release	0.00
---	------

0.00

180

QC

Memo

0.07

Quality Control

DAS
21
9-89

FEB 24 2017

DAS
21
9-89

FEB 24 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

Picklist Print

Thursday, January 12, 2017 3:40:39 PM

Page 1

Work Order ID: 155345

155345

Parent Item: D2933-2

D2933-2

Parent Item Name: Saddle RH In, 206

Start Date: 1/23/2017

Required Date: 1/27/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP: B00.06.26New DWG rev (mpp 2069)EC
IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001		Manufactured	No			100	Each	49.0000	1	4			

D6101-001

Saddle Billet

Location

Loc Qty

Loc Code

MAT042

49

150689

9

151620

20

153932

20

8

17/02/04

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

DART AEROSPACE LTD	Work Order: 155345
Description: 206 Saddle, Inboard, Right side	Part Number: D2933-2
Inspection Dwg: D2933 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2933 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		.119	.119	.118	.119		
B	0.100	0.140		.119	.119	.118	.119		
C	0.100	0.140		.116	.116	.116	.116		
D	0.210	0.230		.224	.224	.225	.225		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		.513	.513	.513	.513		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.258	.258	.258	.258		
L	0.312	0.317		.314	.314	.314	.314		
M	0.235	0.240		.237	.237	.236	.236		
N	0.100	0.140		.120	.120	.120	.120		
O	0.540	0.560		.549	.550	.550	.550		
P	0.490	0.510		.500	.500	.500	.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.470	2.510		2.490	2.490	2.490	2.490		
S	0.240	0.270		.254	.255	.254	.253		
T	0.100	0.180		.135	.135	.135	.135		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.317	.317	.317	.317		
X	1.125	1.145		1.135	1.135	1.135	1.135		
Y	1.565	1.585	DT8695 A/B	1.575	1.575	1.575	1.575		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									

Accept/Reject

DAS

14

45

Measured by:	9-89
Date:	17/02/05

Audited by:	9-89
Date:	17-26

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	


DART AEROSPACE LTD	Work Order:	155345
Description: 206 Saddle, Inboard, Right side	Part Number:	D2933-2
Inspection Dwg: D2933 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2933 Rev. C and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	15	16	17	18		
A	0.100	0.140		.118	.114	.118	.118		
B	0.100	0.140		.118	.119	.118	.118		
C	0.100	0.140		.117	.115	.118	.116		
D	0.210	0.230		.225	.225	.225	.225		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		.513	.513	.513	.513		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		.258	.258	.258	.258		
L	0.312	0.317		.314	.314	.314	.314		
M	0.235	0.240		.236	.236	.236	.237		
N	0.100	0.140		.120	.120	.120	.120		
O	0.540	0.560		.550	.550	.548	.248		
P	0.490	0.510		.501	.500	.500	.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.470	2.510		2.490	2.490	2.490	2.490		
S	0.240	0.270		.254	.254	.252	.252		
T	0.100	0.180		.135	.135	.135	.135		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		.317	.317	.317	.317		
X	1.125	1.145		1.135	1.135	1.135	1.135		
Y	1.565	1.585	DT8695 A/B	1.575	1.575	1.575	1.575		
Z	0.178	0.198		.188	.188	.188	.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									




Accept/Reject	bas	DAS
Measured by:	14	45
Date:	9-89	9-89
	17/02/05	17-2-6

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	



D2933-1 LH SADDLE (SHOWN)
D2933-2 RH SADDLE (OPPOSITE)


- NOTES:**
- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
 (MAKE FROM D6101-001 SADDLE BILLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
 - 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	DRAWN BY	DART DART AEROSPACE USA, INC.
CHECKED	APPROVED	RELIEVE, WA
DATE	DRAWING NO.	REV. C
06.11.09	D2933	SHEET 1 OF 1
	TITLE	SCALE
	SADDLE INSIDE	2:3

COPYRIGHT © 1999 BY DART AEROSPACE USA, INC.



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



D2933-1 LH SADDLE (SHOWN)
D2933-2 RH SADDLE (OPPOSITE)

NOTES

- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)
 (MAKE FROM D6101-001 SADDLE BILLET, 7075)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP



C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	4	DRAWN BY CB
CHECKED	PH	APPROVED
DATE	06.11.09	TITLE
		DART DART AEROSPACE USA, INC.
		D2933
		SADDLE INSIDE
		REV. C
		SHEET 1 OF 1
		SCALE
		2:3

COPYRIGHT © 1989 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
 AND IS SUPPLIED ON THE EXPRESS CONDITION
 THAT IT IS NOT TO BE USED FOR ANY PURPOSE
 OR COPIED OR COMMUNICATED TO ANY OTHER
 PERSON WITHOUT WRITTEN PERMISSION FROM
 DART AEROSPACE USA, INC.

07.02.12